



Pas Reform Hatcher basket washer

For the thorough cleaning of hatcher baskets



Pas Reform
Hatcher Technologies



Effective cleaning of hatcher baskets

Hatcher basket washer

Benefits

Compact washing machine with pivoting spray nozzles, specifically designed for effectively cleaning hatcher baskets with moderate pollution. Incorporating separate main wash and after-rinse sections, the hatcher basket washer heats circulation water internally for the main wash cycle, which is continuously filtered by a unique filter system. Fresh water rinsing completes the cycle in a separate zone of the machine. Re-used rinse water continuously renews the contents of the wash tank, in an energy efficient process that combines maximum wash action with minimal consumption of water, energy and chemicals.



How it works

- A conveying system automatically loads the hatcher baskets into the washer
- Hatcher baskets are cleaned on all sides, with a focus on the inside, where pivoting spray pipes ensure a thorough wash action
- Two stainless steel chains ensure maintenance-free transport of the baskets through the washer, including catches that fix the distance between the baskets
- Pivoting spray nozzles ensure that all sides of the basket are washed thoroughly
- Speed of transport through the machine is fully variable, to allow selection of the most effective speed depending on the degree of pollution
- Incorporates main wash and after-rinse zones, with a unique filter system and separate fresh water rinse cycle that is reused in the main wash to conserve water
- Supplied with an easy-view control panel for managing all functions at a comfortable operating height

Related products

- ▶ Setter tray washer
- ▶ Farm- or setter trolley washer
- ▶ Hatcher drolley washer
- ▶ Pre-washing machine (stand alone)
- ▶ Disinfection unit with circulating pump
- ▶ Heating with warm water instead of electrical heating
- ▶ Power back up for washing machine
- ▶ Integrated rotating filter in washing tank
- ▶ Pivoting system for upper spray nozzles
- ▶ Heating after rinse
- ▶ Blow-off unit
- ▶ Spare parts kit for washing machine

Technical Specifications

Type	UN-2000	UN-3000	UNW-2500	UNW-4000	UNW-5000	UNW-6500
Capacity baskets p/hr	> 200	> 300	> 300	> 600	> 750	> 1000
Pump(s)	> 1x 11 kW	> 1x 15 kW	> 1x 15 kW	> 2x 15 kW	> 2x 18.5 kW	> 2x 22 kW
Pivoting spray tubes bottom	> 4	> 4	> 5	> 5	> 5	> 5
Heating elements (9kw)	> 2	> 2	> 2	> 3	> 4	> 6
Tunnel length (mm)	> 2,000	> 3,000	> 2,500	> 4,000	> 5,000	> 6,500
Machine length (mm)	> 3,000	> 4,000	> 3,500	> 5,000	> 6,000	> 7,500
Machine Width (mm)	> 950 + 260	> 950 + 260	> 1,200 + 260	> 1,200 + 260	> 1,200 + 260	> 1,200 + 260
Machine Height (mm)	> 1,690	> 1,690	> 1,800	> 1,800	> 1,800	> 1,800
Tank capacity (liters)	> 150	> 300	> 300	> 600	> 800	> 1,100
Electrical power	> 30 kW	> 34 kW	> 34 kW	> 58 kW	> 74 kW	> 99 kW
Variable speed	> Optional	> Optional	> Yes	> Yes	> Yes	> Yes
Wash power pack	> -	> 2x 11 kW	> 2x 11 kW	> 2x 18.5 kW	> 2x 22 kW	> 2x 30 kW
Water connection	> 3/4"					
Drain	> 2"					
Noise level	> 84 dB					
Wash/rinse temperature	> 50-60 °C					



Pas Reform
Hatchery Technologies

P.O. Box 2
7038 ZG Zeddum
The Netherlands

Phone +31 314 659 111
Fax +31 314 652 575
info@pasreform.com
www.pasreform.com